





# Gas Sales Volume (Non-consolidated) ガス販売量(単体)

Gas Sales Volume (Results and Forecasts) (million m<sup>3</sup>) ガス販売量(実績と見通し)(百万m<sup>3</sup>)



Number of Customers (thousands) お客様件数(千件)



Fiscal years ended March 31

## Gas Sales Volume (million m<sup>3</sup>)

	3月31日に終了した1年間 ガス販売量(百万m <sup>3</sup> )	1999	2000	2001
Residential	家庭用	3,021	3,063	3,193
Industrial	工業用	2,442	2,487	2,597
Commercial	商業用	1,488	1,553	1,630
Public and Medical	公用及び医療用	578	642	703
Wholesale	卸供給	819	868	955
Total	合計	8,348	8,613	9,078

## Number of Customers (thousands)

お客様件数(千件)

Residential	家庭用	7,975	8,112	8,273
Industrial	工業用	25	25	25
Commercial	商業用	511	505	500
Public and Medical	公用及び医療用	72	73	75
Total	合計	8,583	8,715	8,872

## Large-volume Gas Demand

大口需要動向


Gas Sales Volume for Large-volume Customers (million m <sup>3</sup> )	販売量(百万m <sup>3</sup> )	2,296	2,372	2,750
Percentage of Total Gas Sales Volume	占有率	27.5%	27.5%	30.3%
Number of Customers	期末件数	245	318	476

● Megajoules (MJ) are used as the calorific unit, calculated on the basis of 45 MJ per cubic meter.


As Tokyo Gas changed the standard calorific value in February 2006 from 46.047 MJ/m<sup>3</sup> to 45 MJ/m<sup>3</sup>, the previous year's sales volumes were adjusted retroactively to reflect the new figure.

熱量の単位として、メガジュール(MJ)を用いており、次ページ以降も含め1m<sup>3</sup>=45MJで換算します。

2006年2月のガス標準熱量変更に伴い、過去の販売量も46.047MJ/m<sup>3</sup>から45MJ/m<sup>3</sup>に調整して表示しております。



Monthly Gas Sales for FY2008 (million m<sup>3</sup>) 月次販売量 (2008年3月期) (百万m<sup>3</sup>)



Estimated 計画値											
2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
3,144	3,330	3,319	3,260	3,468	3,356	3,427	3,416	3,455	3,491	3,521	3,548
2,979	3,682	4,263	4,696	4,965	5,232	5,593	5,653	5,818	6,187	6,437	6,686
1,630	1,777	1,842	1,969	2,036	1,963	2,047	2,007	2,023	2,035	2,047	2,059
707	785	823	897	927	867	928	902	907	913	918	924
973	1,133	1,224	1,390	1,628	1,770	2,058	2,092	2,109	2,120	2,131	2,142
9,433	10,707	11,471	12,212	13,024	13,188	14,053	14,070	14,312	14,746	15,054	15,359
8,445	8,637	8,826	9,006	9,178	9,314	9,481	—	—	—	—	—
25	25	26	27	27	27	26	—	—	—	—	—
497	502	510	521	526	526	526	—	—	—	—	—
77	80	83	85	87	88	90	—	—	—	—	—
9,044	9,244	9,445	9,639	9,818	9,955	10,124	10,230	10,362	10,502	10,640	10,779
3,222	4,056	4,784	5,436	5,875	6,109	6,713	6,878	7,007	7,393	7,642	7,888
34.2%	37.9%	41.7%	44.5%	45.1%	46.3%	47.8%	48.9%	49.0%	50.1%	50.8%	51.4%
493	531	576	894	979	1,077	2,237	—	—	—	—	—

● Large-volume supply (annual consumption of 2 million m<sup>3</sup> or more) was deregulated in March 1995. In November 1999, this was expanded to include consumption of 1 million m<sup>3</sup> or more per year, and in April 2004, to include consumption of 500,000 m<sup>3</sup> or more. In April 2007, it was expanded again to include consumption of 100,000 m<sup>3</sup> or more. Estimates for the years ending March 31, 2008 and after are based on the current standard (consumption of 100,000 m<sup>3</sup> or more per year).

1995年3月より年間ガス消費量200万m<sup>3</sup>以上の需要家が大口需要として自由化されました。さらに1999年11月より100万m<sup>3</sup>以上、2004年4月より50万m<sup>3</sup>以上、2007年4月より10万m<sup>3</sup>以上に対象が拡大されました。

なお、2008年3月期の実績と2009年3月期以降の見通しは、現行の基準（年間ガス消費量10万m<sup>3</sup>以上）に基づいて想定したものであります。